

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2202	713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:24
S2	388	(intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:24
S3	2543	(intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:31
S4	366	determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:24
S5	190	(decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:25
S6	54	data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:27

EAST Search History

S7	35	filter AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:26
S8	43	(filter OR screen OR scrutinize OR analyze) AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:26
S9	51	network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:27
S10	51	network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:28
S11	0	trust level AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:29

EAST Search History

S12	3	(trust NEAR level) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:29
S13	47	(trust NEAR level) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:33
S14	574	network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:33
S15	287	(trust NEAR level OR degree) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:20
S16	663	(measure\$4 OR trust NEAR level OR degree) AND network AND data AND packet AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR receipt\$3) AND match\$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:22

EAST Search History

S17	386	(measure\$4 OR trust NEAR level OR degree) AND network AND data AND packet AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:23
S18	387	(measure\$4 OR trust NEAR level OR degree) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND (intrusion detection OR "IDS") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:23
S19	331	(measure\$4) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND (intrusion detection OR "IDS") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:23
S20	18	(measure\$4) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND (intrusion detection OR "IDS") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:25
S21	8	(measure\$4) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND (intrusion detection OR "IDS") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:28
S22	201	(measure\$4) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND (intrusion detection OR "IDS") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND "726".clas. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:25

EAST Search History

S23	12	(measure\$4) AND network AND data AND packet AND (intrusion detection OR "IDS") AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:29
S24	13	(measure\$4) AND network AND (intrusion detection OR "IDS") AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:55
S25	13	(measure\$4) AND network AND (intrusion detection OR "IDS" OR intrusion protection OR intrusion prevention OR "IPS") AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:57
S26	87	(measure\$4) AND network AND (intrusion detection OR "IDS" OR intrusion protection OR intrusion prevention OR "IPS") AND signature AND database AND log AND 726/23.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:58
S27	2	"6279113".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/16 07:44
S28	2	"7032114".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/16 07:59
S29	2	"5796942".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/16 07:59